## OSHA Training Toolbox Talk: OSHA's Revised Haz-Com Standard - New GHS Label Requirements [Reference 1910.1200(f) / 1926.59(f)]

OSHA recently revised their Hazard Communication Standard to align with the international "Globally Harmonized System of Classification and Labeling of Chemicals", commonly referred to as "GHS". As a result, manufacturers and distributors of hazards chemicals and products must begin standardizing their container labels to display all of the following information. (See sample label provided with this toolbox talk, we recommend making copies to use as handouts):

- **Product Identifier**, which may be the product name or an identifying number that can be cross-referenced to the corresponding Safety Data Sheet (SDS), as well as to the list of hazardous chemicals that we maintain as part of our written Haz-Com program;
- **Signal Words**, which are used to indicate the relative level of severity of hazard. The only two signal words used will be "Danger" and "Warning"; other words like "caution" or "beware" will no longer be allowed after the effective date. "Danger" is the signal word used for more severe hazards, while "Warning" is used for the less severe ones;
- **Hazard Statements**, which are a relatively short statement assigned to a specific hazard class and category that describes the nature of the hazard(s) of a chemical, including, where appropriate, the degree of hazard. Examples of hazard statements include "Highly flammable liquid and vapor", or "May cause liver damage."
- Precautionary Statements, which are phrases that list recommended measures that should be taken to minimize or prevent adverse effects resulting from exposure to a hazardous chemical or improper storage or handling. One example of a precautionary statement would be "Keep away from heat, flames, sparks. No Smoking."
- **Pictograms**, which are icons that appear in a small red box, There are eight different pictograms, and one or more might appear on a label; each one helps you quickly identify the specific type of hazard associated with the product. We will be covering the meanings of the eight pictograms in greater detail during upcoming toolbox talks.
- Name, Address, and Telephone Number of the chemical manufacturer, importer, or other responsible party.

These changes should help you better identify the specific hazards associated with the products we use here at work. OSHA has given manufacturers and importers of hazardous products until June 1, 2015 to make the full transition to the new labeling requirements, so you will still see old-style labels on containers until the transition to the revised labeling requirements are fully implemented. In the meantime, start to watch for the new labels to appear on containers.

Anyone have a question or comment about the new labeling requirements OSHA implemented to align with the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals? Please be sure to sign-in on the training certification form.

	SAMPLE LABEL		
CODE Product		Harard Bioton	
Product Name   Identifier		hazard Fictograms	) ams
Company Name			
State			K. A.
Postal Code Country Identification	ation		K
Emergency Phone Number		<	<
		Signal Word	
Keep container tightly closed. Store in a cool, well-ventilated place that is locked.		Danger	
Keep away from heat/sparks/open flame. No smoking.			
Use explosion-proof electrical equipment.		70410	
Take precautionary measures against static discharge. Ground and bond container and receiving equipment. Do not breathe vapors.	Highly flamn May cause li	Highly flammable liquid and vapor. May cause liver and kidney damage.	Statements
Wear protective gloves.  Do not eat, drink or smoke when using this product.	Precautionary		
Wash hands thoroughly after handling.  Dispose of in accordance with local, regional, national,	Statements		
international regulations as specified.		Supplemental Information	ormation
In Case of Fire: use dry chemical (BC) or Carbon Dioxide (CO <sub>2</sub> ) fire extinguisher to extinguish.		Directions for Use	
First Aid			
If on skin (or hair): Take off immediately any contaminated		Fill weightL	Lot Number:
Ground, Tilliog ovil Mid March.		(AT	Fill Date:
		Expiration Date:	

## **OSHA SAFETY TRAINING CERTIFICATION FORM**

mpany Name:	Date:
aining led by:	
PRINT NAME	SIGNATURE